



Light Tower Full Line




The **Allmand Light Tower** line offers six models in a number of configurations to meet your jobsite needs. As the leading floodlight expert, our light towers provide you with:


- **Better performance**
- **Better durability**
- **More safety and productivity on the jobsite**



Maxi-Lite ML 30 EX




Maxi-Lite 15/20



Maxi-Lite 7.5/8



Night-Lite Pro
V Series



Night-Lite Pro
NL 7.5/8

Strong Past. Dynamic Future.

Reliability, performance,
and integrity since 1938



Allmand Light Tower Models




Maxi-Lite ML 30 EX

- Available in 30kw 3 phase and single phase configurations
- Kubota V3300 4 cyl. diesel engine
- Manual and Electric towers
- 135 gallon fuel capacity
- Integral fluid containment system
- Torsion axles with electric brakes



Maxi-Lite 15/20

- Available in 15 and 20 kw single phase
- 20kw 3 phase configuration available
- Isuzu 4LE1 34 hp diesel engine
- Manual, Electric, and Hydraulic towers
- 50 gal. molded polyethylene fuel tank
- Arctic, CSA, and International models



Maxi-Lite 7.5/8

- Available in 7.5 and 8 kw models
- CAT and Kubota engines available
- SHO-HD 1250 watt parallel lamp fixtures
- Manual, Electric, and Hydraulic towers
- 50 gal. molded polyethylene fuel tank
- Arctic, CSA, and International models



**Night-Lite Pro
V Series**

- Available in 7.5 and 8 kw models
- CAT, Kubota, and Lombardini engines
- SHO-HD 1250 watt parallel lamp fixtures
- Vertical tower provides intuitive lamp setup, enhanced safety, and lower shipping costs
- Integral bunded tray provides containment of liquid spills
- Remote oil drain



**Night-Lite Pro
NL 7.5/8**

- Available in 7.5 and 8 kw models
- CAT, Kubota, and Lombardini engines
- SHO-HD 1250 watt parallel lamp fixtures
- Fork lift pockets and lifting eye
- 30 gal. molded polyethylene fuel tank
- Galvanized tower

What's next for Allmand?

At Allmand, we add value through innovation. For over 50 years we have been the leader in lighting while others have followed.

Expect Innovation, not Imitation!

www.allmand.com

Allmand Light Tower Features and Benefits

SHO Parallel Lamp Fixture
available in 1000 and 1250
watt lighting packages.



Optional Bi-Directional Cord Reel
distributes and retracts the cable
when the tower is raised or lowered.



135 gal. fuel tank (ML 30 EX) Up to 135 hr. runtime
50 gal. fuel tank (Maxi) Up to 100 hr. runtime
30 gal. fuel tank (Pro) Up to 60 hr. runtime



Rear Mounted Outlet Panel
(Maxi ML 15/ML 20 only)
offers convenient access for ac-
cessory plug-ins on the jobsite.



Maxi and Pro Engine/Generator combinations available in 7.5 and 8 kw (Pro) and 7.5, 8, 15, 20 and 30 kw (Maxi and ML 30 EX) and include Lombardini, Kubota, Cat, and Isuzu engines.



Forklift Pockets and Lift Ring
ease loading on and off of flatbed truck.



Optional Inside Lamp Storage
allows for better security of the SHO lamp fixtures when not in use. (Maxi-Lite (four fixtures only) and ML 30 EX (four or six fixtures))



LSC100 Light Sequence Commander Auto Start System
enables the unattended start up and shut down of the light tower through a programmable timer and photocell sensor.



Captive Stabilizer Latch
on stabilizer pins eliminates potential for lost pins.



Allmand

NIGHT-LITE PRO is a Trademark of ALLMAND BROS. INC
LSC100 is a Trademark of ALLMAND BROS. INC
LIGHT SEQUENCE COMMANDER is a Trademark of ALLMAND BROS. INC

REV E

Allmand Bros. Inc.
1502 West 4th Avenue
Holdrege, NE 68949
Tel : 308 995-4495
Toll Free: 800-562-1373
Fax: 308-995-5887
www.allmand.com